



# Thai Organic Chemicals Co., Ltd

## (Sulphites Division)

### BIRLASULF - SS

#### Product Specification Sheet

<b>Name</b>	:	<b>Sodium Sulphite</b>
<b>Grade</b>	:	<b>Food</b>
<b>Description:</b>	Sodium Sulphite is a free flowing crystalline odourless powder.	
Formula	:	Na <sub>2</sub> SO <sub>3</sub>
Molecular Weight	:	126.05
Bulk Density	:	1.3 - 1.5 kg/dm <sup>3</sup>
Appearance-20% Soln.	:	Clear & colorless.
CAS NO	:	7757-83-7

#### Specification:

Assay	% w/w	98.5	Min.	Iron (as Fe)	ppm	5	Max.
Sulphates	% w/w	1.5	Max.	Heavy Metals (as Pb)	ppm	10	Max.
Moisture	% w/w	0.09	Max.	Sodium chloride	ppm	50	Max.
Insolubles	%	0.1	Max.	Arsenic	ppm	1	Max.
pH of 5% Solution@25°C		9.5 - 10.6		Selenium	ppm	3	Max.
Chloride as NaCl	ppm	50	Max.	Copper	ppm	2	Max.
				Zinc	ppm	2	Max.

Specs. Conforming to ANSI PH4 275:1980

The above mentioned Values are according to the requirements of:

FDA ---- Food & Drug Administration of Thailand.

FCC ---- Food Chemical Codex, USA

BP ---- British Pharmacopoeia, England .

#### ANALYSIS METHODS :

The indicated values are determined according to our Standard Analysis method, which can be produced on request.

#### STANDARD PACKING :

- 25 Kgs Polypropylene Woven / paper bags with heat sealed inner liner.
- 500 Kgs & 1000 Kgs Jumbo Bags.

#### STORAGE & HANDLING :

Store the product in a dry cool & humid free place. On exposure to air, it oxidizes to Sodium Sulphate.

The product can be handled in bulk with mechanical, pneumatic and vacuum system.

#### MAJOR APPLICATIONS OF SODIUM SULPHITE:

- Desalination plants for manufacturing Potable water.
- Photography: In formulation of developers and fixers solutions.
- Water Treatment: Oxygen scavenger in Boiler water and drilling water.
- Effluent water-treatment of excess Chlorine & detoxification of Chromic acid in electroplating industries.
- Pulp & Paper: In processing of semi-chemical pulp production in chemi-thermo-mechanical and Kraft pulping process.
- Chemical industry: manufacture of Sodium Thiosulphate, Sulphonating agent
- Detergents: manufacture of sulfosuccinates.
- Dyestuffs: reducing agent in manufacture of indigo-at dyes
- De-chlorination: as an antichlor following bleaching by sodium hypochlorite.
- Chemical: Raw material in manufacture of Sodium-Sulfur chemicals.
- Latex: stabilizing latex.
- Minerals: Ore floatation aid.
- Leather industry: antibacterial in tanning process.
- Food processing: as preservative, antioxidant and enzyme inhibitor

This Technical data sheet Identified as TDS / SS / 0803. Cancels & replaces all previous editions.

The data, information contained herein are given purely as a guide. We undertake no responsibility either for the results deriving from their adoption or for possible position in apparent contrast with existing patent right

**Registered office:** 888/160-161, 16th Floor, Mahatun Plaza Bldg., Ploenchit Road, Lumpini, Pathumwan, Bangkok 10330, Thailand

**Bangkok office:** 888/163, 16th Floor, Mahatun Plaza Bldg., Ploenchit Road, Lumpini, Pathumwan, Bangkok 10330, Thailand

Tel : +66-2-2536745-54, Fax : +66-2-2539062, E-mail : birlasulf@thaisulphites.com

**Factory:** 82, Moo 5, Sudbantad Road, Tumbol-Tarndiew, Amphur-Kaengkhoi, Saraburi 18110, Thailand.

Tel : +66-36-240200 Fax : +66-36-240201 Email : birlasulf@thaisulphites.com

Visit us at [www.thaisulphites.com](http://www.thaisulphites.com)